

JB11

"JB11": CAJA SUMA PARA CABLES DE CÉLULAS DE CARGA DE 4 POLOS, DE ACERO INOXIDABLE IP68



Caja suma de acero inoxidable con grado de protección IP68 contra agua y polvo, provista de tarjeta electrónica para la unión de 2 secciones de cables de células de carga. Los 8 bloques de bornes de tornillos facilitan la conexión de los cables. El cuerpo de acero inoxidable asegura robustez y durabilidad.

La solución ideal para
las aplicaciones industriales
avanzadas

CARACTERÍSTICAS TÉCNICAS

- Contenedor de acero inoxidable.
- Grado de protección: IP68.
- Máxima tensión en entrada: 24Vdc.
- Máxima corriente en entrada: 700mA.
- 1 entrada y 1 salida célula de 4 cables en conectores de tornillo
- Largo: 85,0mm
- Diámetro interno: 13,9mm
- Diámetro externo: 18mm
- El prensaestopas aprieta de 4 a 8 mm de cable.

DETALLE 1





“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE