

## JB4AI

"JBAI": SCATOLA DI GIUNZIONE PER AMBIENTI ATEX, FINO A 4 CELLE DI CARICO



Scatola di giunzione in acciaio inox con grado di protezione IP66 da acqua e polveri, per unione di 1, 2, 3 o 4 celle. Marcatura:  
ATEX II 2G Ex ib IIC T6 Gb per gas.  
ATEX II 2D Ex tb IIIC T115°C Db IP65 per polveri.

La soluzione ideale per  
applicazioni industriali  
avanzate

## CARATTERISTICHE TECNICHE

- Progettate e realizzate in accordo con la direttiva ATEX, gruppo II categoria 2GD, secondo le norme IEC/EN60079-0, IEC/EN60079-11 e IEC/EN60079-31.
- Involucro in acciaio inox.
- Pressacavi metallici PG9.
- Grado di protezione: IP66.
- Dimensioni: 190x130x45mm (lxwxh).

NOTA: dimensioni non compatibili per montaggio su piattaforme/pesa pallet a 4 celle.



“YOUR WORLDWIDE PARTNER FOR WEIGHING”

DINI ARGEO  
FRANCE sarl  
France

DINI ARGEO  
GMBH  
Germany

DINI ARGEO  
UK Ltd  
United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
China

DINI ARGEO  
OCEANIA  
Australia



**COMPANY HEADQUARTERS**

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena - Italy  
Tel. +39.0536 843418

**SERVICE ASSISTANCE**

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena - Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE