

KSB

Kit in acciaio INOX serie "KSB", per celle di carico shear beam SBX/SBK



Kit di montaggio per cella shear beam serie SBX/SBK da 3.000 fino a 5.000kg, adatti per la pesatura di tramogge, serbatoi, piattaforme etc.

VANTAGGI:


- Costruzione in acciaio INOX AISI 304
- Assemblaggio semplice e rapido
- Piastra superiore snodata per pesare correttamente in presenza di dilatazioni/flessioni
- Regolazione dell'altezza per un ottimale livellamento della struttura da pesare
- Disponibile in versione ATEX per zone 1&21, 2&22.

La soluzione ideale per
applicazioni industriali
avanzate

CARATTERISTICHE PRINCIPALI

- SEMPLICE DA ASSEMBLARE
- ESECUZIONE IN ACCIAIO INOX AISI 304
- SNODO REGOLABILE IN ALTEZZA
- COMPENSAZIONE MECCANICA DELLE DILATAZIONI TERMICHE E FORZE TRASVERSALI
- FACILE DA INSTALLARE
- GARANTISCE LA MASSIMA PRECISIONE DELLA CELLA DI CARICO.

PARTICOLARE 1



	A	B	C	D	E	F	G	S	T
KSB5	120	215	120	90	150	185	90	25	15

dimensioni in mm



DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE